

Compact MultiMeters + Voltage Detector

Combination MultiMeters with Built-in Non-Contact AC Voltage Detector

To quickly check for the presence of AC Voltage before testing

EX300 Series Features:

- 0.5% basic accuracy
- · Built-in non-contact AC Voltage Detector with red LED indicator and audible beeper
- Large 1" digits make it easy to read
- · Low battery indicator
- · Complete with stand, test leads, protective holster, batteries, bead wire, temperature probe (Model EX330)



Built-in Non-Contact Voltage Detector automatically detects a live wire when the red LED is lit with audible beeper

Ordering Information:

EX310	Mini Manual Ranging MultiMeter + Voltage Detector
EX310-NIST	EX310 MultiMeter with NIST Certification
EX320	Mini Autoranging MultiMeter + Voltage Detector
EX320-NIST	EX320 MultiMeter with NIST Certification
EX330	Mini Autoranging MultiMeter with Temp + Voltage Detector
EX330-NIST	EX330 MultiMeter with NIST Certification



The Right Source For Your Test & Measurement Needs

Model EX310

Manual ranging

Model EX320

- Autoranging
- Max Hold: captures highest reading
- Data Hold: freezes the display

BUILT-IN

 Auto Power Off: conserves battery life

Model EX330

- Autoranging
- Data Hold: freezes the display

Specifications

Display counts

Basic Accuracy

DC Voltage

AC Voltage

Resistance

Frequency


Capacitance

DC/AC Current

- Auto Power Off: conserves battery life
- Type K Temperature °F/°C switchable
- Capacitance
- Frequency
- Relative function







Temperature (Type K)			🗸 -4 to 1382°F
			(-20 to 750°C)
Duty Cycle		—	🗸 0.1 to 99.9%
Diode/Continuity	Yes	Yes	Yes
Dimensions	5.7x2.9x1.6"	5.7x2.9x1.6"	5.7x2.9x1.6"
	(147x76X42mm)	(147x76X42mm)	(147x76X42mm)
Weight	9oz (260g)	9oz (260g)	9oz (260g)

8715 Mesa Point Terrace San Diego, CA 92154 Toll Free: 1.866.363.6634 Tel: 1.619.429.4545 Fax: 1.619.374.7012 Email: sales@calright.com http://www.calright.com