


MultiMeter with SMD Tweezer Component Test

- ✓ Interchangeable test leads for voltage
And SMD Tweezers for fast, precise identification and measurement of surface mount components

Features:

- 6000 count LCD
- Measures AC/DC Voltage, Resistance, Capacitance, Continuity and Diode test
- Auto/manual ranging
- Overrange and low battery indicators
- Auto Power off
- Complete with two AG13/LR44 batteries, test leads, SMD tweezers, and carrying case



| Specifications | Range | Resolution | Basic Accuracy |
|----------------|---|------------|---------------------|
| AC Voltage | 600mV, 6V, 60V, 600V | 0.1mV | ±(1.0% of rdg + 4d) |
| DC Voltage | 600mV, 6V, 60V, 600V | 0.1mV | ±(0.8% of rdg + 2d) |
| Resistance | 600, 6k, 60k, 600k, 6M, 60MΩ | 0.1Ω | ±(1.5% of rdg + 8d) |
| Capacitance | 6nF, 60nF, 600nF, 6μF, 60μF, 600μF, 6mF, 60mF | 1pF | ±(3.0% of rdg + 5d) |
| Diode Test | 1mA @ 1.5V approx | | |
| Continuity | <30Ω; 1.5mA test current Max. | | |
| Dimensions | 7.1 x 1.4 x 0.8" (181 x 35 x 20mm) | | |
| Weight | 2.3oz (65g) | | |