



2222 Verus Street Suite C San Diego CA 92 54 USA Toll Free: 866,363,6634 Tel: 619,429,4545 Fax: 319,374,7012 Email: sales@calright.com http://www.calright.com

COMPLETE SYSTEM A NALYSIS - COMBUSTION, AC, AND CO TESTING-



### C75KIT - Combustion Analyzer Kit:

The C75KIT is a solution for technicians working to set and maintain optimum efficiencies for boilers or furnaces. This kit includes the feature packed **Eagle 1 Combustion Analyzer**. Equipped with a new improved user-friendly interface as well as a DMM style rotary selector, a real time clock and a magnet built-in to the boot, the C75 captures and calculates data with professional accuracy and ease.

#### Functions:

- Measures: Flue temperature, oxygen, carbon monoxide (CO)
- Calculates: Carbon dioxide, gross/net efficiency, excess air, CO air free

666

- Unique DMM style rotary selector
- Protective boot w/integral magnet
- Real time clock
- CO readings to 1 ppm
- Large 2 line back-lit display
- Infrared printer port
- User programmable header
- 20 memory positions
- 3 year limited warranty
- (2 year warranty on sensor)

# Also Available..

## C75 Analyzer

Includes: C75 Analyzer, Flue Probe Particle Filter, and Manual.



## C750ILKIT

Includes: C75 Analyzer, Flue Probe, Smoke Pump Test Kit, Draft Pressure Gauge, AC Adapter, AC75 Soft Carrying Case, Particle filter, & Owners Guide.



# Kit Includes:

- **Eagle 1** (C75) Combustion Analyzer
- KMIRP2 Infrared Thermal Printer
- Flue Probe
- AACA4 AC adapter
- AC75 soft carrying case w/protective
- foam interior
- Particle filter
- Thermal printer paper roll
- Owners guide

#### CALRICHT INSTRUMENTS

The Right Source For Your Test & Measurement Needs

2222 Verus Street Suite C San Diego CA 92154 USA Toll Free: 866.363.6634 Tel: 619.429.4545 Fax: 619.374.7012 Email: sales@calright.com http://www.calright.com





#### WORKLIGHT

#### C125KIT - Combustion Analyzer Kit:

The C125KIT is 4 instruments in 1. Designed to offer advanced system analysis and productivity this kit includes the ground-breaking **Eagle 2 Combustion Analyzer**. This multi-functional instrument is a superio combustion analyzer with unmatched simplicity and a unique combination of features to enhance a technician's efficiency and safety. The EAGLE 2 is perfect for combustion efficiency analysis but also doubles as a differential thermometer, differential manometer, and an ambient CO detector.

#### Same features as the EAGLE 1 (C75) Plus:

- Measures: Differential flue temperature, oxygen, flue & ambient carbon monoxide (CO), & Differential Pressure
- Calculates: Carbon dioxide, gross/net efficiency, excess air, & CO air free
- Worklight
- 4 line backlitCD display
- 179 memory positions
- User customizable parameters view
- Individual report printouts
- 3 year limited warranty
- (2 year waranty on sensor)

# Also Available..

# C125 Analyzer

Includes: C125 Analyzer, Flue Prob Particle Filter, AC75 Soft Carrying Case, Quick Start Manual, and Owners Guide.



## C1250ILKIT

Includes: C125 Analyzer, KMIRP2 Printer, Flue Probe, Smoke Pump Test Ki (2) K-Type Temp. Probes, AC Adapter, AC75 Soft Carrying Case, Particle filter Thermal printer paper roll, Quick Start Manual, & Owners Guide.



#### Kit Includes:

- *Eagle 2* (C125) Combustion Analyzer
- KMIRP2 Infrared Thermal Printer
- Flue Probe
- (1) K-Type Temperature Probe
- AACA4 AC adapter
- AC75 soft carrying case w/protective foam interior
- Particle filter
- Thermal printer paper roll
- Quick start manual
- Owners guide

000

# 

The Right Source For Your Test & Measurement Needs

2222 Verus Street Suite C San Diego CA 92154 USA Toll Free: 866.363.6634 Tel: 619.429.4545 Fax: 619.374.7012 Email: sales@calright.com http://www.calright.com



#### WORKLIGHT

#### C127KIT - Combustion Analyzer Kit:

The C127KIT offers the same benefits of the Eagle 2 (C125KIT) with the additional ability to measure Nitric Oxide. This allows technicians to work in commercial and light industrial applications measuring Nitric Oxide at 1ppm resolution. The C127KIT offers a complete system analysis solution with clear-cut navigation.

Same features as the EAGLE 2 (C125) Plus: • Measures: Nitric Oxide (NOx)



The Right Source For Your Test & Measurement Needs

2222 Verus Street Suite C San Diego CA 92154 USA Toll Free: 866.363.6634 Tel: 619.429.4545 Fax: 619.374.7012 Email: sales@calright.com http://www.calright.com

# Also Available..

# C127 Analyzer

Includes: C127 Analyzer, Flue Probe, Particle Filter, AC75 Soft Carrying Case,Quick Start Manual, and Owners Guide.



## C1270ILKIT

Includes: C127 Analyzer, KMIRP2 Printer, Flue Probe, Smoke Pump Test Ki (2) K-Type Temp. Probes, AC Adapter, AC75 Soft Carying Case, Brticle filter, Thermal printer paper roll, Quick Star Manual, & Owners Guide.





#### Kit Includes:

- Eagle 3 (C127) Combustion Analyzer
- KMIRP2 Infrared Thermal Printer
- Flue Probe
- (1) K-Type Temperature Probe
- AACA4 AC adapter
- AC75 soft carrying case w/protective foam interior
- Particle filter
- Thermal printer paper roll
- Quick start manual
- Owners guide



#### Specifications

Features		C75	C125	C	127
Worklight			· ·		V
Low battery indicator			· ·		<ul> <li>✓</li> </ul>
Individual print-out reports			· ·		✓ ✓
Rotary selector			· ·		V
Memory positions (various tests)		20	17	'9	179
Infrared printer port		· ·	· ·		V
Backlit display		2 Lines	4 Lines		4 Lines
Boot with integral magnet		· ·	V		V
User programmable headers			<ul> <li>✓</li> </ul>		V
Time & date stamp		· ·			V
3 yr warranty (2 yr sensor warranty)		<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>		✓
Temp Measurement					
Flue Temp Range (T1 C125/C127)		32 ~ 1112°F / 0 ~ 600°C	20 ~ 2400°F / -29 ~ 1315°C		
Inlet Temp Range (T		_			
Inlet Temp Range (Ambient)		32 ~ 112°F / 0 ~ 50°C	32 ~ 112°F / 0 ~ 50°C		
Net Temp (ΔT)**		32 ~ 1112°F / 0 ~ 600°C	20 ~ 2400°F / -29 ~ 1315°C		
Resolution		1°F/°C	0.1°F/°C		
Flue (T1, Inlet T2, & Net $\Delta$ T) Accuracy		±[0.3% rdg +5°F(3°C)]	±[0.3% rdg +3.6°F(2°C)]		
Inlet Temp Ambient		±[0.3% rdg +1°F(1°C)]		±[0.3% rdg +1.8°F(1°C)]	
C M		-		_	
Gas Measurement		0 210/	0 210/		0 210/
Oxygen		0~21%	0~21%		0~21%
O2 Resolution/Accuracy		0.1% / ±0.2%*	0.1% / ±0.2%*		0.1% / ±0.2%*
Carbon Monoxide		0 ~ 1000 ppm	0 ~ 4000 ppm 0 ~ 4000 ppm		
CO Resolution/Accuracy		1 ppm/±10 ppm < 100 ppm*			1 ppm/±10 ppm < 100 ppm*
Carbon Diovide**		±5% reading	-		±5% reading
Carbon Dioxide**		0 ~ 30%	0 ~ 30%		0 ~ 30%
CO2 Resolution/Accuracy		1.0%/±0.3% reading	1.0%/±0.3% reading		1.0%/±0.3% reading
Efficiency**		0~99.9%	0~99.9%		0~99.9%
Efficiency Resolution/Accuracy		0.1%/±1.0% reading 0 ~ 250%	0.1%/±1.0% reading		0.1%/±1.0% reading
Excess Air**			$0 \sim 250\%$		0 ~ 250%
Excess Air Resolution/Accuracy		0.1%/±0.2% reading	0.1%/±0.2% reading		0.1%/±0.2% reading 0 ~ 100ppm
Nitric Oxide - Range Nitric Oxide Resolut		-			1ppm Resolution
Milline Oxide Resolut	ION ACCUIACY	-			±2ppm <30ppm
					±5ppm >30ppm
Pressure (Differential) C125 & C127 ONLY		Range	Accuracy		Resolution (High)
		±0.08″wg (±0.2mBar)	±0.002"wg (±0.00		0.001" wg to 9.999" 0.01" 10.00 to 32.00
		±0.4"wg (±1mBar)	±0.01″wg (±0.03m	Bar)	
		±32″wg (±80mBar)	±3% reading		
Eagle Dimensions				Pre-Program	med Fuels
Weight 2.2lbs. with bo		ot		Natural Gas, Propane, Butane, LPG, Light Oil	
Handset	7.9 x 1.8 x 3.5"				
Probe		tainless steel shaft, type K thermo	ocouple (9' hose)		
Operating temp		() to 40 ( /10% to 90% Relative Humidity non-condensing			
Battery		12 hour life typical with Alkaline "AA" cells		The Right Source For Your Test & Measurement Needs	
Warranty		warranty (2 year sensor warra			uite C San Diego CA 92154 USA 534 Tel: 619.429.4545 Fax: 619.374.7012
	- ,				right.com http://www.calright.com







++Eagle Serie	-NEWS   BRONEH				
ITEM#	Description	UPC			
KMIRP2	Thermal Printer - IR Link	05353360520			
EABT	Eagle Bluetooth Upgrade	05353360594			
AACA4	AC Adapter/Charger	05353360530			
SPT1	Smoke Pump Test Kit	05353360519			
AC509	Hard Carrying Case (red)	05353360572			
D460	Draft Velocity Gauge	05353350522			
ATT100	Inlet Temp Probe, K-Type Liquid 6"	05353360235			
EAKit	Eagle II/III Acc Kit BF100/AACA4/2-ATT29/Hoses/AC519	05353360564			
EARS232	Eagle RS232 Cable	05353360593			
Eagle Replace	ment Parts/Supplies				
KMCP2	Flue Probe	05353360492			
FPTEXT	Flue Probe Extention	05353360575			
13124	Compression Ferrule (Eagle,CO91,Smart Bell.)	05353360615			
16646	Thermal Paper for KMIRP2	05353360420			
16646PACK	Thermal Paper (10pack)	05353360611			
SP9	Smoke Paper and Chart	05353360480			
17631	Particle Filter	05353360401			
17631PACK	Particle Filter (10pack)	05353360612			
16184*	CO Sensor	05353360581			
17662*	O2 Sensor	05353360506			
17979*	NO Sensor (C127)	05353360582			
SM11103	Inlet Tube	05353360583			
SM11827	Water Trap	05353360609			
CM11667/2	Water Trap Drain Plug	05353360535			
CM11667/2PACK	Water Trap Drain Plug (10 pack)	05353360608			
ATT29	K-Type Thermocouple	05353360126			
* Factory Installed ONLY.					

#### Commercial / Industrial

#### Anal yz er s

For more information regarding Commercial and Industrial applications, please visit WWW.UEITEST .COM



**Distributed By:** 



The Right Source For Your Test & Measurement Needs

2222 Verus Street Suite C San Diego CA 92154 USA Toll Free: 866.363.6634 Tel: 619.429.4545 Fax: 619.374.7012 Email: sales@calright.com http://www.calright.com



